



## KIWO ON PRESS CLEANER

### 1. DESCRIPTION

KIWO ON-PRESS CLEANER is a quick evaporating solvent mixture that does not leave any residue after drying. It is formulated for cleaning the screen on press when an ink change takes place or as a screen opener. It can also be used to remove residue from slower evaporating solvents. The flashpoint and vapor pressure are balanced to allow for fast drying and minimum odor.

### 2. APPLICATION

Before cleaning the screen, remove all ink with a scraper or spatula. Rub both sides of the screen with a rag or a brush soaked in KIWO ON-PRESS CLEANER until all ink residue is completely dissolved or emulsified, until the emulsion becomes clearly visible, then let the screen dry.

Should any ink residue remain on the screen, pour KIWO ON-PRESS CLEANER onto the screen and brush the screen every few minutes until the residue is dissolved. Remove the residue with a rag.

KIWO ON-PRESS CLEANER has strong cleaning power and may attack the frame adhesive if the screen is soaked in KIWO ON-PRESS CLEANER. Keep the soaking time as short as possible and if necessary, use a protective lacquer, such as ESTELAN AR to protect the adhesive.

### 3. PHYSICAL DATA

Color:	colorless
Consistency:	Liquid
Shelflife:	1 year at 68° Fahrenheit (20° Celsius)
Flash point:	94° Fahrenheit
TLV:	100 ppm Naphtha solvent
VOC:	7.56 lbs/gal, 908 g/liter
Vapor Pressure:	< 10 mm/Hg at 20° C
HMIS rating:	Health - 2 Flammability - 3 Reactivity - 0

### 4. PERSONAL PROTECTION

Do not breathe fumes. All working areas should be well ventilated. Avoid contact with eyes and skin. It is recommended to wear protective glasses and gloves. Use respiratory protection if exposure limits are exceeded. See Material Safety Data Sheet for additional information.

### 5. ENVIRONMENTAL PROTECTION

KIWO ON-PRESS CLEANER can be eliminated through biological decomposition in adapted waste water treatment plants. The working solution (rinsed residue from the screen) can generally be emptied into the drains. Consult local authorities for local regulations.

### 6. PACKAGING

1 quart, 1 gallon, 5 gallon, 55 gallon drums

### 7. ADDITIONAL INFORMATION

For additional product information, please visit our web site at [www.kiwo.com](http://www.kiwo.com). For further information contact your KIWO distributor or KIWO direct.

Thank you for choosing **KIWO**.

Version 8/98



---

KIWO, Inc.  
1929 Marvin Circle  
P.O. Box 1009  
Seabrook, TX 77586  
Phone: 281-474-9777  
(1-800-KIWO-USA)  
Fax: 281-474-7325  
USA

KISSEL & WOLF GmbH  
In den Ziegelwiesen 6  
D-69168 Wiesloch  
Phone: +49-6222-578-0  
Fax: +49-6222-578-100  
Germany

KISSEL & WOLF Australia PTY. Ltd.  
Unit 12, 23 Bunney Road  
Oakleigh South, VIC 3167  
Phone: +61-3-551-6887  
Fax: +61-3-551-5532  
Australia

**LIMITED WARRANTY:** Due to the inability of KIWO to anticipate or control conditions whereby KIWO products will be employed, **KIWO does not represent or guarantee that any KIWO product is fit for a particular purpose.** Kiwo products should be tested by users to determine suitability for a particular purpose. KIWO disclaims responsibility for claims and damages beyond replacement of any defective KIWO product. **There are no warranties which extend beyond the description on the face hereof**