

# SAFETY DATA SHEET

Issue Date 29-May-2015

Revision Date 05-Sep-2018

Version 3

# **1. IDENTIFICATION**

Product identifier Product Name	EZ PRINT "EF" LO BLEED WHITE
Other means of identification	
Product Code	PADE1062
Synonyms	PADE106201, PADE106203, PADE106204, PADE106205, PADE106207, PADE106208, PADE106209, PADE106210, PADE106212, PADE106213, PADE106214, PADE106215, PADE106216, PADE106217, PADE106219, PADE106220, PADE106221, PADE106222, PADE106223, PADE106233, PADE106235, PADE106255
Recommended use of the chemical	and restrictions on use
Recommended Use	Textile ink. Restricted to professional users.
Uses advised against	No information available
Details of the supplier of the safety Manufacturer Address Rutland Group 10021 Rodney Street Pineville, NC 28134 Tel: 704-553-0046	data sheet_
E-mail address	product_safety@rutlandinc.com
Emergency telephone number	

Emergency telephone number Emergency Telephone

INFOTRAC 1-352-323-3500

# 2. HAZARDS IDENTIFICATION

# **Classification**

#### OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

# Label elements

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance viscous

Physical state liquid

Odor Low

Hazards not otherwise classified (HNOC) Not applicable

Other Information

Not applicable

Unknown acute toxicity

64.7% of the mixture has not undergone testing for acute toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

### Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
PVC HOMOPOLYMER RESIN	9002-86-2	15 - 40	*
TITANIUM DIOXIDE	13463-67-7	10 - 30	*
CALCIUM CARBONATE	1317-65-3	7 - 13	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# **4. FIRST AID MEASURES**

#### **Description of first aid measures**

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water.
Inhalation	Remove to fresh air.
Ingestion	Never give anything by mouth to an unconscious person. Rinse mouth. Drink plenty of water. If symptoms persist, call a physician.
Most important symptoms and effect	cts, both acute and delayed
Symptoms	No information available.
Indication of any immediate medica	l attention and special treatment needed
Note to physicians	Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

**Environmental precautions** See section 12 for additional ecological information.

#### Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.	
Conditions for safe storage, includ	ing any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place Store at temperatures not exceeding 35 °C/ 95 °F	
Incompatible materials	None known based on information supplied.	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
PVC HOMOPOLYMER RESIN	TWA: 1 mg/m <sup>3</sup> respirable	-	-
9002-86-2	particulate matter		
TITANIUM DIOXIDE	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7		(vacated) TWA: 10 mg/m <sup>3</sup> total dust	TWA: 2.4 mg/m <sup>3</sup> CIB 63 fine
			TWA: 0.3 mg/m <sup>3</sup> CIB 63 ultrafine,
			including engineered nanoscale
CALCIUM CARBONATE	-	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
1317-65-3		TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust
		(vacated) TWA: 15 mg/m <sup>3</sup> total dust	
		(vacated) TWA: 5 mg/m <sup>3</sup> respirable	
		fraction	

NIOSH IDLH Immediately Dangerous to Life or Health

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL
PVC HOMOPOLYMER	-	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	-
RESIN				
9002-86-2				
TITANIUM DIOXIDE	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
13463-67-7		TWA: 3 mg/m <sup>3</sup>		
CALCIUM CARBONATE	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 3 mg/m <sup>3</sup>		
		STEL: 20 mg/m <sup>3</sup>		

Chemical Name	Newfoundland OEL	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL
PVC HOMOPOLYMER	TWA: 1 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>	-
RESIN				
9002-86-2				
TITANIUM DIOXIDE	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
13463-67-7	_	STEL: 20 mg/m <sup>3</sup>	-	STEL: 20 mg/m <sup>3</sup>
CALCIUM CARBONATE	-	TWA: 10 mg/m <sup>3</sup>	_	TWA: 10 mg/m <sup>3</sup>
1317-65-3		STEL: 20 mg/m <sup>3</sup>		STEL: 20 mg/m <sup>3</sup>

Chemical Name	Ontario OEL	Prince Edward Island OEL	Quebec OEL	Saskatchewan OEL	Yukon OEL
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	-	-	-
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	STEL: 20 mg/m <sup>3</sup> TWA: 30 mppcf TWA: 10 mg/m <sup>3</sup>
CALCIUM CARBONATE 1317-65-3	-	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	STEL: 20 mg/m <sup>3</sup> TWA: 30 mppcf TWA: 10 mg/m <sup>3</sup>

# **Other Information**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

## **Engineering Controls**

Showers Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). if a risk assessment indicates this is necessary.

Skin and body protection	Wear protective gloves and protective clothing. if a risk assessment indicates this is necessary.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Color	liquid viscous White to
Property	Values
рН	7
Melting point/freezing point	No infor
Boiling point / boiling range	232 °C
Flash point	No infor
Evaporation rate	No infor
Flammability (solid, gas)	No infori
Flammability Limit in Air	
Upper flammability limit:	No infori
Lower flammability limit:	No infori
Vapor pressure	No infori
Vapor density	No infori
Specific Gravity	1.25
Water solubility	Insoluble
Solubility in other solvents	No infori
Partition coefficient	No infori
Autoignition temperature	No infori
Decomposition temperature	No infori
Kinematic viscosity	No infori
Dynamic viscosity	No infori
Explosive properties	No infor
Oxidizing properties	No infor
Other Information	
Softening point	No infor
Molecular weight	No infor
VOC Content	50 g/L
Density	No infor
Dulle dan alter	NI- infam

**Bulk density** 

Values 7 No information available 232 °C / 450 °F No information available No information available No information available

to off-white

No information available No information available No information available No information available 1.25 Insoluble in water No information available No information available

No information available No information available 50 g/L No information available No information available Odor Odor threshold Low No information available

Remarks • Method

# **10. STABILITY AND REACTIVITY**

# **Reactivity**

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

# **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Extremes of temperature and direct sunlight.

#### **Incompatible materials**

None known based on information supplied.

# Hazardous Decomposition Products

None known based on information supplied.

#### **11. TOXICOLOGICAL INFORMATION** Information on likely routes of exposure **Product Information** No data available Inhalation No data available. Eye contact No data available. Skin contact No data available. No data available. Ingestion Chemical Name Oral LD50 Dermal LD50 Inhalation LC50 TITANIUM DIOXIDE > 10000 mg/kg (Rat) 13463-67-7 Information on toxicological effects Symptoms No information available. Delayed and immediate effects as well as chronic effects from short and long-term exposure Sensitization No information available. Germ cell mutagenicity No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity Chemical Name ACGIH IARC NTP OSHA PVC HOMOPOLYMER Group 3 RESIN 9002-86-2 TITANIUM DIOXIDE Group 2B Х --13463-67-7 IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans Not classifiable as a human carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present **Reproductive toxicity** No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. Target Organ Effects Eyes, Lungs, Respiratory system, Skin. Aspiration hazard No information available. Numerical measures of toxicity - Product Information The following values are calculated based on chapter 3.1 of the GHS document . ATEmix (oral) 67625 ATEmix (dermal) 5970 ATEmix (inhalation-gas) No information available ATEmix (inhalation-dust/mist) No information available **ATEmix (inhalation-vapor)** No information available

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

65.2 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability No information available.

## **Bioaccumulation**

No information available.

Other adverse effects No information available

# **13. DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and<br/>regulations.Contaminated packagingDo not reuse container.

# **14. TRANSPORT INFORMATION**

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
ICAO (air)	Not regulated
IATA	Not regulated
IMDG	Not regulated
<u>RID</u>	Not regulated
ADR	Not regulated
ADN	Not regulated

# **15. REGULATORY INFORMATION**

# International Inventories

#### On Inventory (Yes/No)

KECL Yes PICCS Yes AICS Yes	PICCS	Yes
-----------------------------------	-------	-----

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

No
No
No
No
No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## US State Regulations

#### California Proposition 65

This product contains substance(s) listed on Proposition 65 but are encapsulated in a polymer matrix and not in their pure form. The end user of this product is responsible for determining appropriate warnings based upon their processing, or during installation or use of the end article. This product contains the following Proposition 65 chemicals:

Chemical Name	California Proposition 65				
TITANIUM DIOXIDE - 13463-67-7	Carcinogen				
U.S. State Dight to Know Begulations					

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PVC HOMOPOLYMER RESIN 9002-86-2	Х	-	-
TITANIUM DIOXIDE 13463-67-7	Х	Х	Х

CALCIUM CARBONATE	Х	Х	Х
1317-65-3			

# U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical
				Properties -
HMIS	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection B

29-May-2015 05-Sep-2018

**Issue Date Revision Date Revision Note** SDS sections updated 15

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet